lame	A. Rabett	e 5.5e	<i>(L</i>		Date 3	-23-15	_	Page	of	
(atc	(Please hman ted From /4 v	Print)		То	Luthe	rVille	W.O Numbe			E// 1
	Exception Chair	Marker No.	w.o.	Track	Rail	Switch	Cod	es	Status	Repair
tem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.	859 N			· 0	W		R305	324	Y	
2.	48	*								
3.		E								
4.										
			Halin							
5.	5									
6.										
7.								1		
8.										
9.										
m	COMMENTS		International Engineer							
) <u>-</u>				11 11			***************************************		- A2	
	Were Switcl ere all single opNO		-		es	Nowitches inside		eratated in	each posit	ion ?
D.	SPECIAL IN									
Tra	ason for spec ck Inspector SI L. R. K.	gnature	uon ?	ž	3		Supervisor		tion///	Ryk

			2							
Name	W. BA	Yan	+		Date O	3-23	- 15	Page	l of l	
	(Please	Print)								
''atc	hman $T.5c$	h15161	Ę				W.O Number	e <u>r 186</u>	664	0
pec	ted From	Luther C	<u>, i</u> le	To (Cold	phing	W.O Number			
			Tomas - management			0		*		
	Exception Chair		W.O.	Track	Rail	Switch	Cod		Status	Repair
Item	From	To	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.	345+00		USANGO MENDENE.	ŀ	W		W.301	311	_ Y	M
2.				-						
3.										-
4.			aguadustuven Galendario							-
	*						 			
5. 6.							 		× .	
7.			PD skips stars		H					7)
8.							-			
9.										
em	COMMENTS		lyn of Welling							
3111	COMMENTS			******						
$\overline{}$	11+ Cm	2451	OCI - Alci	4 -	th i	16116	C 44 / /	11 1.		V
•	A+ CM WES+ Sia boulde drain	3 15 T	14 = h.11	1 / -	161.	MONTH	FMT	Dashir	Stope	<u> </u>
	WESTSIA	E 01-	hae Mil	1.15	Doc	21/0/6	46143	11/	2021	nall
	decina	ich!	1. = 1. 1.	1143	e h	- + n + +	VACET.	1950	CHRE	
7	CHAIN _	12 0	OCK 5	y th	C 10	CKS, D	bula	- 2 0 5	eube	- 3 -
\leftarrow										
)—										
									,e	
_										
\neg	147									
						/				
			a of Inspecte		es_ $ u$		10			
	ere all single op	erating med	chanism & coi	necting r	od type sv	vitches inside	area and op	eratated in	each positi	on?
es	NO									
	CDECIAL IN	IODEOTIC	MI V		NO /					
	SPECIAL IN	ISPECTIC	IN Yes		NO					
-	6	! - 1 1	۷ O							
Re	ason for spec	iai inspeci	tion ?					-		$\overline{}$
										V
_=							_		nK	1
Tra	ck Inspector Sig	gnature					Supervisor	y Cretifica	tion <u>///</u> /	XUL
/	1,00 1.	12.	A		9				A	1/
N	Week.	15/ Som	/)							b
									//	

	(Please Pl	rint)				124/15	W.O Numb	er 18560	/ of /	/ ·
spec	ed From CAMDEN	4	-	To (UTHIC	ш	-	0.00		
	Exception Chain	Marker No.	w.o.	Track	Rail	Switch	Cod		Status	Repai
tem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				.5		74				
2.		Œ.								
3.					7:					
4.										
	*									
5.									10	
O.										- 4
7.			unicella grand							
8.										
9.										
m	COMMENTS									
)										
	Were Switch ere all single ope		-		od type sv		Oo area and op	eratated in	each positi	on ?
Rea	SPECIAL INS									
Tra	ck Inspector Sign Chister			×	i.		Supervisor		-6	myk

Vame	5 5666	10	RABET	TE.	Date	3-24-	15	Page	of	
	(Please					/ PENN		100	- / / 6:3	, a
	nman ted From	C S		То	CV	/ PENN	W.O Numb /	er <u>/8</u> 3	0675	
			-				-	<u> </u>		
	Exception Chair		w.o.	Track	Rail	Switch	Cod	des	Status	Repair
tem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.						(4)				
2.	740		ži.							
3.			1425.025							
4.							ļ	-		
_										
5.							 			
û.						ļ				
7.									- 15	
8.										
9. m	COMMENTS					L				
W	ere all single op	erating med	a of Inspecte		esi		IO area and op	eratated in	each positi	on ?
s	NO									
	SPECIAL IN	ISPECTIC	ON Yes_		NO					
Rea	ason for spec	ial Inspect	tion ?					-		
Trac	ck Inspector SI	gnature		2			Supervisor	y Cretifica	tion_Mf	ogt
	Stu-Su	u							V	

atc	(Please nman led From Line;	•			اآم		W.O Numbe	er_1850	,019	/ *
pec	ed From Liv	thicum	- -0	To 🤇	_romi	well-B	WI	11211		
	Exception Chair	n Marker No.	w.o.	Track	Rail	Switch	Cod	les T	Status	Repair
em	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
2.	500.	129	提為提							
3.		92								
<u> </u>										
_			694.0569311						4	
5.									8	
			ill Grand and Sand							-9
									**	
.										
]										
\dashv										
		oc. —mos	10					18		100
S	Were Switchere all single on NONONOSPECIAL IN	perating med	ON Yes_	necting r	NO	vitches inside		eratated in	each positi	on ?

N'ame	W. 13M	Y G M				3-25-		Page	l of l	
ito	hman M.	Pollar	d				W.O Numb	er 183	5445	29
Inspec		dust Uc	elley	То	Luth	ehville	2			
	Exception Chair	Marker No.	W.O.	Track	Rail	Switch	Coc	les	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1;										
2.										
3.										
4.										
5.			The Odgodnost							
6.										.9
7.			The stage pay							
8.										
9.										
Item	COMMENTS									
	Track	INSPE	ction	Ca	mple	ted.	No ne	w de	Fect!	5
	not ed	im a	rea.		1					
)										
\smile										
	Were Switch	in the area	of Inspecto	d Ye	e 1/	M	0			
\//	ere all single op		•					oratated in	ocob pociti	on 2
Yes		le aung meer	idilisili di coi	lecting it	ou type st	witches inside	area and op	eralaleu m	each positi	on ?
163										
	SPECIAL IN	ISPECTIO	N Yes_	i	NO					
Re	ason for spec	ial Inspect	ion ?							_
Tra	ck Inspector Sig	gnature					Supervisor	v Cretifica	tion M	South
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	No.	2					,	11	7/

	Exception Chai	n Marker No.	w.o.	Track	Rail	Switch	Coc	les	Status	Repair
tem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
2.	19	(*)								
3.		827								
4.										
	¥									
5.			diamental distribution						×.	
C.										9
7.										
8.										
9.										
em	COMMENTS	No 10	Vew D	e fre	+5 /	voted,	in Ar	ea		
))	COMMENTS	No n	Vew D	e frc	+5 /	voted,	in Ar	ea		
əm								ea	OR:	
	Were Switc ere all single o	<i>h in the area</i>	a of Inspecte	ed Y	es		10			ion ?
	Were Switc	<i>h in the area</i>	a of Inspecte	ed Y	es		10			ion ?
	Were Switchere all single o	<i>h in the area</i>	a of Inspecte	ed You	es		10			ion ?
	Were Switc ere all single o	<i>h in the area</i>	a of Inspecte	ed You	es		10			ion ?

1'atc	hman 🔼 [Print)				3-26.		er_1 8		2/8
ec.	ted From	PENH	<u> </u>	То	Lin	E	-	*		
	Exception Chai	n Marker No.	w.o.	Track	Rail	Switch	Cod	les	Status	Repair
tem	From	То	Number*	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.										
2.										
3.										
1.										
5.									*	
3.										
7.										
3.			40,000							
9.			cal directly.							
\dashv										
)										
	ere all single o	perating med		necting r	od type s		O		each positi	
:s	ere all single o	perating med	chanism & cor	necting r	od type s	witches inside	area and op	eratated in		

		1 T					16	-		1
lame	W. BWUM		Chisler		Date 0	3-26-	15	Page 🕍	L of Z	
-	(Please							150	1111 -	
	hman MPa	MALC		_	0	ndeH	W.O Numbe	er_ / ~ ~ ~	4406	8
~bec	ted From	Coldspr	2.42	То	Cay	ndeµ	•			
	Exception Chair	Marker No.	W.o.	Track	Rail	Switch	Cod	les	Status	Repair
tem	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1					4w	207-3A	5-365	30 5	y	M
2.	124400	<u> </u>			4w	124-3A	5-304	350	y	H
3.						,,				
4.										
5.			a an Misike							
j.]										
. [
n	COMMENTS									
5	aneti on trac Streign		Long. Switch teh po		4.3 is 8			ht ha	red	
W ₀		erating med	hanism & cor	necting r		No switches inside		eratated in	each positi	on?
Pos	SPECIAL IN				NO					
i769	ason for spec	ıaı mspeci								
(A)	ck Inspector Sig	1	+	ř		×	Supervisory	/ Cretifica	tion	Boyk

	Exception Chai	n Marker No.	w.o.	Track	Rail	Switch	Cod	es	Status	Repair
ltem	From	То	Number :	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			internal to							
2.										
3.										
4.										
5.										
6.										
7.								87#:	12	
8.										
9.	72									
)					•	ment ted-	No de		ts no	ited
)	Riding				•	· ·	No de	2 Aec-	ts no	i+cel
)	Riding				•	· ·	No de	2 Aec-	t's No	ited
)	Riding				•	· ·	No de	2 Aec-	t's No	ited
w/es_	Piding	h in the area	ction	ce m	es V	ted -	No de	e pec-		
W es_	Were Switchere all single o	h in the area perating mec	of Inspecte hanism & co	ed Yenecting re	esod type sv	vitches inside	No de in Gh	eratated in	each positi	

Y	(Please hman T. 5 o ted From	Print) Ch is lete 13 Lu	+		Lin	3-27-1		er 185		Z *
	Exception Chair	n Marker No.	w.o.	Track	Rail	Switch	Cod	les	Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1			開播。器圖							
2.										
3.			rinki ng							
4.			1975							
			隐山岩 新典							
5.	, ,									
6.			是更加計畫的							
7.								2.3	10	
8.			iligen Wijn							
9.									-	
em	COMMENTS									
	Track					ed. Hu		y's h	ot•d	iн
)=								et's h	ot•d	iн
We'es	Were Switce ere all single of	h in the area	+iom (c my	es_/	ed Ho	detec			
es	Were Switce ere all single of	h in the area	a of Inspecte	ed Yenecting r	esod type sw	vitches inside	O_ area and op	eratated in	each positi	

atcl coeu	A Robe (Please	Print)				thicom				1.
	Exception Chai	n Marker No.	w.o.	Track	Rail	Switch	Cod	les	Status	Repai
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1,										
2.		0.00								
3.										
4.										
5.									# 10	
6.										
7.										
8.										
9.										
1								e a	101	
<u>}</u>									×	
3=									*	
Wes_	ere all single or	perating med		necting r			0_		each positi	on ?
es	ere all single op	Derating med	chanism & coi	necting re	od type sv	vitches inside	O_ area and ope	eratated in e		on?